



Captain's Wheel Toilet Seat Cover (Rounded)

Finished Size: Approximately 13" Diameter Rounded

Materials:

Worsted Weight yarn, approximately:

Main Color (MC): Red Heart (Soft Navy) 5 ounces
(140 grams, 200 yards,)

Color A (CA): Red Heart (Gold) 1 ounce
(30 grams, 40 yards)

Crochet hook size G (4.00mm)

Yarn Needle

Gauge: 4 sc = 1 inch

Cover

Make one as follows:

With MC and using G hook, ch 28.

Rnd 1: (**Right Side, back edge of cover**) 2 sc in 2nd ch from hook, sc in each ch across to last ch, 2 sc in last ch.

NOTE* Loop a short piece of yarn around any stitch to mark last rnd as **right** side.

Rnd 2: Ch 1 (counts as first sc now and throughout), turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 3-5: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 6-7: Ch 1, turn; sc in each sc across.

Rnd 8: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 9-10: Ch 1, turn; sc in each sc across.

Rnd 11: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 12-13: Ch 1, turn; ; sc in each sc across.

Rnd 14: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 15-17: Ch 1, turn; sc in each sc across.

Rnd 18: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 19-21: Ch 1, turn; sc in each sc across.

Rnd 22: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 23-33: Ch 1, turn; sc in each sc across.

Rnd 34: Ch 1, turn; work **decrease (dec)** as follows: insert hook in next sc, YO, draw up loop, YO, insert hook in next sc, YO, draw up loop, YO, draw through all loops on hook: **decrease made**; sc in each sc across to last 2 sc, work dec.

Rnd 35-37: Ch 1, turn; sc in each st across.

Rnd 38: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 39-41: Ch 1, turn; sc in each sc across.

Rnd 42: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 43-45: Ch 1, turn; sc in each sc across.

Rnd 46: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 47: Ch 1, turn; sc in each sc across.

Rnd 48-56: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 57: Turn; slip st in first sc, slip st in next sc, ch 1, sc in each sc across to last 2 sc, slip st in next sc.

Rnd 58: Turn; slip st in first sc, slip st in next 2 sc, ch 1, sc in each sc across to last 3 sc, slip st in next sc.

Rnd 59: **(front edge of cover)** Turn; skip first st, slip st in next 3 sc, ch 1, sc in each sc across to last 4 sc, slip st in next sc. **DO NOT FINISH OFF.**

Border Rnds:

Rnd 1: Ch 1, DO NOT TURN; sc in each sc, each slip st, each row end, and each free loop of beg ch around; join with slip st in first sc.

Rnd 2-6: Ch 1, turn; sc in each sc around; join with slip st in first sc.

Rnd 7: Ch 1, turn; sc in next sc, ch 2, skip next 2 sc, *sc in next 2 sc, ch 2, skip next 2 sc; repeat from * around; join with slip st in first sc.

Rnd 8: Ch 1, turn; 2 sc in ch-2 sp, *sc in next 2 sc, 2 sc in ch-2 sp; repeat from * around; join with slip st in first sc.

Finish off. Weave in ends.

Captain's Wheel Motif

Make one as follows:

With CA, ch 4, join with slip st in first ch to form ring.

Rnd 1: Ch 1 (counts as first sc now and through Rnd 8), 7 sc in ring; join with slip st in first sc.

Rnd 2: Ch 1, turn; sc in same slip st as turning, 2 sc in next 7 sc; join with slip st in first sc.

Rnd 3: Ch 1, turn; 2 sc in next sc, (sc in next sc, 2 sc in next sc) **7 times**; join with slip st in first sc.

Rnd 4: DO NOT TURN, *slip st in next sc, (slip st, ch 3, tr) in next sc, (tr, ch 3, slip st) in next sc, slip st in next sc; repeat from * **5 times more**. Finish off.

Rnd 5: DO NOT TURN; **working in back loops only**, join MC in top of first ch-3 made in Rnd 4, slip st in next 2 tr and top of next ch-3, tr in next slip st, 2 tr in next slip st, * slip st in (top of next ch-3, 2 tr, and top of next ch-3), tr in next slip st, 2 tr in next slip st; repeat from * **5 times more**; join with slip st in first slip st. Finish off.

Rnd 6: DO NOT TURN; join CA in top of first ch-3 of Rnd 4; **working in front loops only of Rnds 4 and 5**, ch 1, sc in each tr and top of ch-3 around; join with slip st in first sc.

Rnd 7: Ch 1, turn; sc in next 5 sc, 2 sc in next sc, (sc in next 6 sc, 2 sc in next sc) **5 times**; join with slip st in first sc.

Rnd 8: Ch 1, turn; sc in next sc, 2 sc in next sc, (sc in next 7 sc, 2 sc in next sc) **5 times more**; join with slip st in first sc.

Rnd 9: **(This is Right Side)** DO NOT TURN; *ch 7, tr in 4th ch from hook, tr in next 4 ch, skip 2 sc on Rnd 7, slip st in next 7 sc; repeat from * **5 times more**. Finish off.

Attach Motif

With **right side** facing and using CA, sew motif to center of cover, **making sure cover front is below motif**. Use photo as guide. Weave in ends.

Drawstring

Make one as follows:

With MC and G hook, ch 220. Finish off and weave in ends.

Weave drawstring in and out of holes on Rnd 7 of border rnds.

*Hint – when placing cover on toilet lid, tie drawstring tightly from underneath and tuck strings under lid cover to conceal.

Captain's Wheel Toilet Seat Cover (Elongated)

Finished Size: Approximately 14" X 18" Elongated

Materials:

Worsted Weight yarn, approximately:

Main Color (MC): Red Heart (Soft Navy) 5 ounces
(140 grams, 200 yards,)

Color A (CA): Red Heart (Gold) 1 ounce
(30 grams, 40 yards)

Crochet hook size G (4.00mm)

Yarn Needle

Gauge: 4 sc = 1 inch

Cover

Make one as follows:

With MC and using G hook, ch 30.

Rnd 1: **(Right Side, back edge of cover)** 2 sc in 2nd ch from hook

Rnd 2-5: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 6: Ch 1, turn; sc in each sc across.

Rnd 7: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 8: Ch 1, turn; sc in each sc across.

Rnd 9: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 10: Ch 1, turn; sc in each sc across.

Rnd 11: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 12: : Ch 1, turn; sc in each sc across.

Rnd 13: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 14-15: Ch 1, turn; sc in each sc across.

Rnd 16: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 17-20: Ch 1, turn; sc in each sc across.

Rnd 21: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 22-24: Ch 1, turn; sc in each sc across.

Rnd 25: Ch 1, turn; sc in same sc as turning, sc in each sc across to last sc, 2 sc in last sc.

Rnd 26-34: Ch 1, turn; sc in each sc across.

Rnd 35: Ch 1, turn; work **decrease** as follows: insert hook in next sc, YO, draw up loop, YO, insert hook in next sc, YO, draw up loop, YO, draw through all loops on hook; **decrease made**, sc in each sc across to last 2 sc, work dec.

Rnd 36-40: Ch 1, turn; sc in next sc across.

Rnd 41: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 42-46: Ch 1, turn; sc in next sc across.

Rnd 47: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 48-49: Ch 1, turn; sc in next sc across.

Rnd 50: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec

Rnd 51-52: Ch 1, turn; sc in next sc across.

Rnd 53: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 54-56: Ch 1, turn; sc in next sc across.

Rnd 57 : Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 58: : Ch 1, turn; sc in next sc across.

Rnd 59: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 60: Ch 1, turn; sc in next sc across.

Rnd 61: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 62: Ch 1, turn; sc in next sc across.

Rnd 63: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 64: Ch 1, turn; sc in next sc across.

Rnd 65: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 66: Ch 1, turn; sc in next sc across.

Rnd 67: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 68: Ch 1, turn; sc in next sc across.

Rnd 69: Ch 1, turn; work dec, sc in each sc across to last 2 sc, work dec.

Rnd 70: Ch 1, turn; sc in next sc across.

DO NOT FINISH OFF. (**front edge of cover**)

Border Rnds

Rnd 1: Ch 1, DO NOT TURN; sc in each sc, each slip st, each row end, and each free loop of beg ch around; join with slip st in first sc.

Rnd 2-6: Ch 1, turn; sc in each sc around; join with slip st in first sc.

Rnd 7: Ch 1, turn; sc in next sc, ch 2, skip next 2 sc, *sc in next 2 sc, ch 2, skip next 2 sc; repeat from * around; join with slip st in first sc.

Rnd 8: Ch 1, turn; 2 sc in ch-2 sp, *sc in next 2 sc, 2 sc in ch-2 sp; repeat from * around; join with slip st in first sc.

Finish off. Weave in ends.

Captain's Wheel Motif

Make one as follows:

With CA, ch 4, join with slip st in first ch to form ring.

Rnd 1: Ch 1 (counts as first sc now and through Rnd 8), 7 sc in ring; join with slip st in first sc.

Rnd 2: Ch 1, turn; sc in same slip st as turning, 2 sc in next 7 sc; join with slip st in first sc.

Rnd 3: Ch 1, turn; 2 sc in next sc, (sc in next sc, 2 sc in next sc) **7 times**; join with slip st in first sc.

Rnd 4: DO NOT TURN, *slip st in next sc, (slip st, ch 3, tr) in next sc, (tr, ch 3, slip st) in next sc, slip st in next sc; repeat from * **5 times more**. Finish off.

Rnd 5: DO NOT TURN; **working in back loops only**, join MC in top of first ch-3 made in Rnd 4, slip st in next 2 tr and top of next ch-3, tr in next slip st, 2 tr in next slip st, * slip st in (top of next ch-3, 2 tr, and top of next ch-3), tr in next slip st, 2 tr in next slip st; repeat from * **5 times more**; join with slip st in first slip st. Finish off.

Rnd 6: DO NOT TURN; join CA in top of first ch-3 of Rnd 4; **working in front loops only of Rnds 4 and 5**, ch 1, sc in each tr and top of ch-3 around; join with slip st in first sc.

Rnd 7: Ch 1, turn; sc in next 5 sc, 2 sc in next sc, (sc in next 6 sc, 2 sc in next sc) **5 times**; join with slip st in first sc.

Rnd 8: Ch 1, turn; sc in next sc, 2 sc in next sc, (sc in next 7 sc, 2 sc in next sc) **5 times more**; join with slip st in first sc.

Rnd 9: (**This is Right Side**) DO NOT TURN; *ch 7, tr in 4th ch from hook, tr in next 4 ch, skip 2 sc on Rnd 7, slip st in next 7 sc; repeat from * **5 times more**. Finish off.

Attach Motif

With **right side** facing and using CA, sew motif to center of cover, **making sure cover front is below motif**. Use photo as guide. Weave in ends.

Drawstring

Make one as follows:

With MC and G hook, ch 240. Finish off and weave in ends.

Weave drawstring in and out of holes on Rnd 7 of border rnds.

*Hint – when placing cover on toilet lid, tie drawstring tightly from underneath and tuck strings under lid cover to conceal.

Abbreviations


beg	beginning
ch (s)	chain (s)
dr	dropped
dc	double crochet(s)
hdc	half double crochet(s)
MC	Main Color
mm	millimeters
Rnd(s)	Round(s)
sc	single crochet(s)
sp(s)	space(es)
st(s)	stitch(es)
tr	treble crochet(s)
YO	yarn over

Gauge

Gauge mentioned at the beginning of pattern instructions may need adjusting, depending upon your needle, deviation from type of yarn suggested, or other factors. Make an example piece and measure, then adjust needle size to obtain gauge.


Changing colors

Work the last stitch to the last step of completing that stitch. Hook next color and draw thru loops on hook.



Whipstitch

Insert needle through top loops only of both pieces, draw thru, insert needle in same place and draw thru again to secure beginning of seam (remember to leave enough yarn to weave in later). Insert needle thru top loops of stitches, **back to front** across to end specified in pattern. Weave in end, cut yarn close to work.



Weaving In Ends

Ends can be woven in securely by loading loose end into yarn needle, pull loaded needle through a few stitches, then back in the other direction a few stitches. Cut yarn close to work.

Important note

Great strides have been taken to insure accuracy of patterns. Work may vary depending upon human error or individuality of work. Patterns have been made and instructions have been tested to insure accuracy. For any problems with pattern, please send an email to patterns@NeedleMeThat.com or write us at Needle Me That!, PO Box 632, Andrews, SC 29510.

© 2002 by Vicki Moore

www.NeedleMeThat.com